

ZHENG Hongbo, Peter CLIFT, WANG Ping, HE Mengying and Fred Jourdan, 2013. A Pre-Miocene Birth to The Yangtze River. *Acta Geologica Sinica* (English Edition), 87(supp.): 614.

## A Pre-Miocene Birth to The Yangtze River

ZHENG Hongbo<sup>1,\*</sup>, Peter CLIFT<sup>2</sup>, WANG Ping<sup>1</sup>, HE Mengying<sup>1</sup> and Fred Jourdan<sup>3</sup>

<sup>1</sup> Nanjing Normal University, Nanjing 201146

<sup>2</sup> Louisiana State University, LA 70803

<sup>3</sup> Curtin University, Perth, Australia

The development of fluvial systems in East Asia is closely linked to the evolving topography following India-Eurasia collision. Despite this, the age of the Yangtze River system has been strongly debated, with estimates ranging from 40–45 Ma, to a more recent initiation around 2 Ma. Here, we present new <sup>40</sup>Ar/<sup>39</sup>Ar ages from basalts interbedded with fluvial sediments from the lower reaches of the Yangtze together with detrital zircon U/Pb ages from sand grains within these sediments. We show that a river containing sediments indistinguishable from the modern river was established before ~23 Ma. We argue that the connection through the Three Gorges must post-date 36 Ma because of evaporite and lacustrine sedimentation in the Jiangnan Basin before that time. We propose that the present Yangtze River system formed in response to regional extension throughout eastern China, synchronous with the start of strike-slip tectonism and surface uplift in eastern Tibet and fed by strengthened rains caused by the newly intensified summer monsoon.

**Key words:** Yangtze River, Tibetan Plateau, Asian monsoon, drainage capture

### References

- Clark MK, et al., 2004. Surface uplift, tectonics, and erosion of eastern Tibet from large-scale drainage patterns. *Tectonics* 23, TC1006.
- Clift PD, et al., 2008. Evolving East Asian river systems reconstructed by trace element and Pb and Nd isotope variations in modern and ancient Red River-Song Hong sediments. *Geochem. Geophys. Geosyst.* 9(Q04039).
- Richardson NJ, Densmore AL, Seward D, Wipf M, Yong L., 2010. Did incision of the Three Gorges begin in the Eocene? *Geology*, 38(6):551–554.
- Ren J, Tamaki K, Lu S, Zhang J., 2002. Late Mesozoic and Cenozoic rifting and its dynamic setting in Eastern China and adjacent areas. *Tectonophysics*, 344:175–205.
- Rowley DB, Currie BS, 2006. Palaeo-altimetry of the late Eocene to Miocene Lunpola basin, central Tibet. *Nature*, 439:677–681.
- Wang E, et al., 2012. Two-phase growth of high topography in eastern Tibet during the Cenozoic. *Nature Geosci.*, 5:640–645.
- Tapponnier P, et al., 2001. Geology - Oblique stepwise rise and growth of the Tibet plateau. *Science*, 294(5547):1671–1677.
- Zheng J, et al., 2006. Widespread Archean basement beneath the Yangtze Craton. *Geology* 34(6):417–420.

\* Corresponding author. E-mail: zhenghb@njnu.edu.cn